

Additional equipment - handles collection



Italian design

LOGO

Italian design

Metal handle with rosette
for regular key, for cylinder insert, bathroom lock
golden, silver



FLUO

Italian design

Metal handle with rosette
for regular key, for cylinder insert, bathroom lock
golden, silver



NOVA

Italian design

Metal handle with rosette
for regular key, for cylinder insert, bathroom lock
golden, mat golden, silver, mat silver



LINK

Italian design

Metal handle with rosette
for regular key, for cylinder insert, bathroom lock
golden, mat golden, silver, mat silver



Additional equipment - handles collection

NOVELTY

OFFICE

Metal handle with rosette

for regular key, for cylinder insert, bathroom lock

golden, mat golden, silver, mat silver




NOVELTY

CARO

Metal handle with rosette

for regular key, for cylinder insert, bathroom lock

golden, mat golden, silver, mat silver



ARKADIA

Metal handle (72)

for regular key, for cylinder insert, bathroom lock

golden, silver, bronze



MINIMAX

Metal handle (72)

for regular key, for cylinder insert, bathroom lock

White



MINIMAX

Metal handle (72)

for regular key, for cylinder insert, bathroom lock

golden, silver



EDEL

Metal handle with rosette

for cylinder insert

made of acid-resistant steel



MINI

Plastic handle (72), black, for metal doors

for regular key and cylinder insert



Additional equipment - handles collection

PORTA GRANITE (class „C”)

Metal handle (72) (golden, titanic, bronze)

with standard holder

with „knob” holder

upper lock board



NOVELTY

PORTA OPAL (European 2nd class)

Metal handle (72) (golden, titanic, bronze)

with standard holder

with „knob” holder

upper lock board



NOVELTY

PORTA AGATE (European 1st class)

Metal handle (72) (silver, bronze)

with standard holder

with „knob” holder

upper lock board



Additional accessories

MASKING ARCHITRAVES



Straight architraves



Rounded architraves



Quarter round (2,15 m)

VENTILATION



Ventilation sleeves I row (different colors)



Ventilation sleeves II rows (different colors)



Ventilation undercut



Metal ventilation sleeves.
Available colors: golden, mat golden, silver, mat silver



Ventilation grid to be placed (different colors)



Ventilation slot

Additional accessories

HINGES AND COVERS



Standard hinge*



Extra charge for third hinge in metal zinc-coated door frame.



„PRIME“ hinges, retail sale:
Available colors: golden, mat golden, silver, mat silver.

- * Extra charge for additional hinge in wood-like door frame and door leaves:
- standard hinge



Covers for standard hinges for interior doors (set for one hinge):
Available colors: white, mat silver, chrome, golden



Cover for hinges for exterior doors
GDYNIA and WROCLAW (set for one hinge).
Available colors: golden or silver.

BULL'S EYES MADE OF ACID-RESISTANT STEEL

Bull's eye is available only in door leaves with chipboard core in following types of doors:
MINIMAX, Porta DECOR, HQ CPL veneered, ENDURO, Porta NOVA, Porta LINE, Porta CLASSIC,
Nova NATURE, Nature LINE.

Internal diameter is 250 mm for the wings of „60“ and „70“, and 300 mm for the others. There is
a transparent pane or safety mat with a thickness of 6 mm to be chosen.

Extra charge for bull's eye.



Additional accessories

ADDITIONAL EQUIPMENT



Round flush handle for sliding doors
– included in the door price.
Available colors: silver (white doors)
and golden (all others).




Hook lock with side handles (for
sliding doors).
Available colors: golden, mat golden,
silver, mat silver.



Self-closing device
Available colors: silver, bronze



Side handle for sliding doors.
Available colors: golden, mat golden, silver, mat silver.



Stainless steel threshold for Porta door
frames:
standard (90 mm),
extended (120 mm),
in double doors:
standard (90 mm),
extended (120 mm).



Wide-angle eye-viewer.
Available colors: silver



Two cylinder insert "B" class
Available colors: silver, golden



Preparation for shortening
(up to 60 mm)

Additional accessories


TRANSPARENCY OF GLASS PANES OFFERED FOR INTERIOR DOORS



„Chinchilla” type pane



MasterCarre type pane



„Ribbed” type pane




“Wave”, “square” type pane
(satin effect)



Mat type pane

ASSEMBLY AND OPERATION OF EXTERIOR DOORS



CANOPY ROOF

The exterior doors need to be protected against direct sun rays and precipitations – in order to do so the doors have to be mounted in a recess or overhead canopies should be provided for the doors mounted in walls without recesses. The canopy should extend beyond the open door outline and ensure shade in the summer afternoons.

HEAT SOURCES

The distance between the door a heater should not be less than 150 mm. We recommend a non-heated anteroom.

ASSEMBLY

The door should be installed in the wall opening after the flooring is finished and masonry works completed after the plaster is dry.

To preserve all advantages of WROCLAW and GDYNIA wooden doors it is recommended to ensure periodical maintenance, i.e. 2 – 3 times a year. Wipe the door surface with a humid soft cloth and coat with a wood care agent (do not use alkaline solutions or solvents for this purpose).

Note! Due to the print technology the colours of the presented assortments can differ from the original.